

EXCLUSIVE FLOOR

Moon Surface

Designer Series Carpet Tiles



Mohawk Group







Goodrich Global
SINCE 1983



Base

Accent

Light Grey Base



GD959

JN959

Dark Grey Base




GD989

JN989

Base

Accent

Brown Base



GD878

JN878



GD878 + JN878




JN913 + JN933

Accent




JN912




JN913



JN932




JN933





Accent

Light Grey Base




JN916





JN915




Dark Grey Base



JN936



JN935



JN915 + JN935



Moon Surface



Moon Surface is fully reimagined as versatile. This collection is inspired by abstracted patterns of the moon's landscape. By layering patterns with a grid of texture, Moon Surface offers a dramatic visual with a sculptural feel.

Our patented synthesis technology melds digitized lunar surface with grids of texture. Moon Surface's 3 styles can be used individually or mixed, to facilitate the coordination of designs across multiple spaces.

Cover: GD989 + JN989

Specifications

DESIGN

Size	24" x 24" (.609 m x .609 m)
Surface Appearance	Loop
Fiber Type	ColorStrand Nylon
Dye Method	Solution Dyed
Installation Methods	Monolithic / Quarter Turn / Multi-Directional

PERFORMANCE

Construction	Tufted
Gauge	1/12" (47.00 rows per 10cm)
Stain Release Technology	Permanent, Built into the Fiber
Soil Release Technology	EcoSentry Soil Protection
Backing Material	EcoFlex™
Flammability	ASTM E 648 - Class 1 (Glue Down)
Smoke Density	ASTM E 662 - Less than 450
Static Propensity	AATCC - 134 Under 3.5 KV


SUSTAINABILITY

Certification	Declare
Indoor Air Quality	Green Label Plus Certified #1171
Carbon	Net Positive Carbon (Neutral +5%)
Water	Net Positive Water (Neutral +5%)


SERVICE

Warranties	Lifetime Limited Carpet Tile Warranty
------------	---------------------------------------


INSTALLATION METHODS



monolithic



quarter turn



multi-directional

**Carpet tile with various and random pattern are mixed in the same box.

Colorstrand

FIBER

For over 15 years, Colorstrand fiber has continually exceeded the demanding expectations of our customers for their projects. With the design flexibility and color intensity of solution dyed fiber, Colorstrand delivers lasting beauty and value. And, Colorstrand has the added benefit of third party SCS Global Services certified 30% recycled content.

PERFORMANCE

- Unsurpassed colorfastness to light, atmospheric contaminants, and harsh cleaning agents in Colorstrand SD
- EcoSentry Plus Soil® and Stain Protector keeps your investment looking newer longer
- Can be engineered to achieve the most severe TARR rating

BUDGET

- Internally extruded fiber allows cost control of products
- Numerous broadloom and modular products available at value engineered budgets

SUSTAINABILITY

- Colorstrand contains a minimum of 30% pre-consumer recycled content by total weight*
- Mohawk products tufted with Colorstrand are CRI Green Label Plus® certified for VOC emissions
- Recyclable through Mohawk's ReCover Program

DESIGN

- A wide variety of colors for excellent design flexibility

SERVICE


- Quickship Styles available within 10 days providing what you need when you need it
- 100% vertically integrated providing unsurpassed lead times and service reliability



*Recycled content claim third party verified by SCS Global Services








 JN989



 JN913



 JN959



 The above design combination consists of  15%  20%  65% in random pattern layout.



JN913 + JN959 + JN989




JN935 + JN959

JN935



JN959



The above design combination consists of  45%  55% in random pattern layout.





JN916 + JN936


JN916 Fern



JN936 Fern



The above design combination consists of 45% 55% in random pattern layout.






 JN912



 JN932



 The above design combination consists of  40%  60% in random pattern layout.

