

INTERLACE



SPECIFICATIONS

COLLECTION NAME	: INTERLACE
YARN	: Nexlon™ + Quartz Premium Solution Dyed Nylon with Stain & Soil Resist Technology
CONSTRUCTION	: Hi/ Mid/ Lo Loop
DYE METHOD	: Solution Dyed
GAUGE	: 1/12"
STITCHES PER INCH	: 10.3 per inch
PILE HEIGHT	: 5.5/ 4.5/ 3.0 mm (+/-0.5mm)
TOTAL HEIGHT	: 7.5mm (+/-0.5mm)
PILE WEIGHT	: 16 oz/sy
TOTAL WEIGHT	: 146 oz/sy (4950gm/sm)
PRIMARY BACKING	: Non-woven
SECONDARY BACKING	: PVC
SIZE	: 50 x 50 cm/tile
PACKING	: 20 pcs (5 sm)/box

* As with all dyed products, colours are subject to dye lot variations.


PERFORMANCE SPECIFICATIONS

COLOURFASTNESS	: Grade \geq 4 (AATCC 16)
FLAMMABILITY	: Class 1 (ASTM E648)
SMOKE DENSITY	: Passed (ASTM E662)
STATIC PROPENSITY	: \leq 3.5 kV (AATCC-134)
CRI GREEN LABEL PLUS	: GLP7116
SGBC	: LEADER
WARRANTY	: 15 Years


RECOMMENDED INSTALLATION METHODS :




Monolithic



1/4 Turn



Brick



IT13 BLUSH



IT01 SUGAR COOKIE



IT14 ORANGE




IT02 BRUNETTE




IT15 MUSTARD




IT03 UMBER



IT16 MOSS




IT06 CLOUD



IT17 AZURE



IT08 FOSSIL



IT10 PEBBLE



IT06 + IT17



Interlace
Collection









IT10 + IT03 + IT02 + IT01



IT06 + IT10 + IT08



П13 + П14 + П15 + П16



IT01 + IT17 + IT06 + IT08



IT15 + IT17 + IT06 + IT02